



DESIGN

Product Type:	Broadloom
Construction:	Tufted
Minimum Sq Yd:	No Minimum
Surface Texture:	Level Solid Color Cut Pile
Gauge:	1/10 (39.37 rows per 10 cm)
Tufted Pile Weight:	42.0 oz. per sq. yd. (1424 g/m²)
Finished Pile Thickness:	.224" (5.69 mm)
Stitches Per Inch:	13.0 (51.18 per 10 cm)
Dye Method:	Piece Dyed
Fiber Type:	Colorstrand® Nylon
Stain Release Technology:	EcoSentry Plus Stain Protection
Soil Release Technology:	EcoSentry Soil Protection
Density:	6,750
Weight Density:	283,500
Backing Material:	Weldlok®
Width:	12' width (3.66 m)
Pattern Repeat:	None




212
Coral Beach




214
Cabernet



234
Onyx




237
Canyon



242
Pompon



246
Nutria



252
Accent Orange



253
Matador



264
Sand Beige

SUSTAINABILITY

Pre-Consumer Recycled Content:	26%
NSF 140:	Weldlok - NSF 140 Gold
Indoor Air Quality:	CRI Green Label Plus GLP6678
Declare Label:	Declared Red List Free

PERFORMANCE

Flammability:	ASTM E 648 Class 1 (Glue Down)
Smoke Density:	ASTM E 662 Less than 450
Static Propensity:	AATCC-134 Under 3.5 KV
Foot Traffic Recommendation TARR:	Heavy

SERVICE

Warranties:	Lifetime Limited Wear Warranty, Lifetime Static
-------------	--







688 Graphite 721 Bone 727 Contract Beige 730 Chamois 733 Mystery 737 Sand 746 Ginger



811 Twill 820 Hope 822 Shell Collection 824 Light Chocolate 825 Birch 826 Burberry Tan 831 Koala



841 Franklin 846 Nickel 851 Sandalwood 876 Malt 879 Pinto 888 Caramel 919 Hydrangea



921 Brass 945 Mercury 955 Heavy Cloud 968 Storm 974 Train Token 981 Cobblestone