


The Pattern and Symmetry woven collection offers a fresh take on contemporary plaid in two scales. Rustic Plaid has a bold plaid graphic owing to the construction methods of the weaving loom, where linear patterns are rendered with clarity and precision. Patterned Past has an understated design featuring a gridded mesh-like pattern with overlapping lines and pin dots. Inspired by the tailored textiles for men's and women's clothing of the 20th century, these timeless plaids are impeccably reimagined for today's commercial interiors.







Woven Construction

Woven construction is the oldest method of producing textiles. In the weaving process, pile yarns are intricately interlaced into the foundation, creating a structure whereby backing and face yarns become one. The art of weaving also allows for a face construction that is denser than that of tufted carpet, with the result being a carpet that retains its original appearance over time. Time has proven that woven carpets outperform any other carpet construction.

PERFORMANCE

- Interlaced components eliminate ability to zipper
- Inherent stability-no secondary backing
- Greater appearance retention and resiliency
- Built-in cushion properties
- Denser face construction
- Woven construction extends the life of carpet three times longer than tufted
- Permanent Stain and Soil protection with Duracolor Tricor fiber

INSTALLATION


 Superior construction offers reliability for the life of your installation

SUSTAINABILITY

- Living Product Challenge Petal Certified this product has a net positive carbon impact through handprinting
- Extending the life of carpet = less carpet to the landfill
- Declared Red List Free
- CRI Green Label Plus Certified
- Recyclable through Mohawk's ReCover Program
- May contribute to or comply with LEEDv4, Living Building Challenge and WELL Building Standard

SERVICE

 Quality and experience combine to offer a unique construction not available through all manufacturers



Specifications

Patterned Past KC276 **Rustic Plaid KC277**

DESIGN

Size	12' width (3.66m)
Surface Appearance	Level Patterned Loop
Fiber Type	Duracolor [®] Tricor Premium Nylon
Dye Method	Solution Dyed
Pattern Repeat	
Patterned Past	7.75" (W) x 7.25" (L)
Rustic Plaid	8" (W) x 7.7" (L)
Colors Available	4

PERFORMANCE

Construction Stain Release Technology GSA Stain Release Rating Soil Release Technology Flammability Smoke Density Static Propensity

Woven Permanent, Built into the Fiber Passes EcoSentry Soil Protection ASTM E 648 - Class 1 (Glue Down) ASTM E 662 - Less than 450 AATCC - 134 Under 3.5 KV

SUSTAINABILITY

Certification Indoor Air Quality NSF 140

Living Product Challenge Petal Certified; Declared Red List Free Green Label Plus Certified #3802 Gold

SERVICE

Warranties

Lifetime Limited Woven Wear Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared property. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern line). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Duracolor by Mohawk Stain Resistant System passes AATCC Test Method 175 combined with pre-abrasion meeting GSA requirements for stain resistance. Under GSA requirements stain resistant carpets must score no less than 8.0 (10.0 is best) on the AATCC Red 40 Stain Scale. Carpet samples must first be exposed to 100 revolutions of the

Taber abrader (1,000-gram weight per H-18 wheel) and then the abraded area must be stain tested using AATCC tested using AATCC test method 175.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com





